NEW YORK STATE OF OPPORTUNITY. | Lake George Park Commission

Bruce E. Young
Chairman

Dave Wick
Executive Director

PERMIT APPLICATION - STEAM CORRIDOR ACTIVITY

For land clearing/vegetation cutting, development, and crossing projects located within 35 feet of streams in the Lake George Park

The Commission has established Stream Corridor Protection Regulations for lands within 35 feet of DEC Protected Streams in the Lake George Park. A permit from the Commission is required prior to undertaking any vegetation clearing or development activities within the Towns of Hague, Putnam, Ticonderoga, Dresden and Fort Ann. If you are in the Town of Bolton, Queensbury or Lake George or Lake George Village, contact the zoning administrator of that municipality for stream corridor permitting. For Stream Corridor Project Design Standards and additional information, please see the Commission webpage at www.lgpc.state.ny.us.

Property Owner			
Name:		Email:	
Street Address:	Town:	Zip:	Phone:
Agent (If person other than this owner is making this request)			
Name:		Email:	
Street Address:	Town:	Zip:	Phone:

Project Location			
Town:	Section:	Block:	Lot:
Street Address:			
Property is Presently:	____ Vacant	____ Developed	____ Developed and Occupied

Project Description:
Total Length of Stream on Property (Feet):
Total Length of Land Disturbance in the Stream Corridor (Feet):
Total Area of Impervious Surface (buildings, asphalt, etc) in the Stream Corridor (Square Feet):
Total Number of Stream Crossings Proposed:
Type and Dimensions of Proposed Crossing (eg. bridge, box culvert, pipe):

CERTIFICATION

I hereby affirm that the data on this form and all attachments herewith are true to the best of my knowledge and belief, that Commission staff may visit the site to review the proposal, and that I accept full legal responsibility resulting from this project.

_____ _____

Signature Date

INCLUDE WITH THIS FORM:

A scaled site plan (ie. survey, recent aerial photo with affected property parcel shown) that shows the stream and areas proposed for land clearing and/or vegetation cutting, impervious areas, pervious hardscape, and bridges/culverts. If the ground will be disturbed, show temporary erosion and sedimentation controls proposed to protect the stream.

<u>Please submit application fee of $50 with this completed application form.</u> If disturbing more than 5,000 square feet of land, a stormwater management permit will be required from the Commission as well as a stream corridor permit. Please note, when a stormwater permit is required, the stream corridor application fee is waived.